




BREZZA

D E S I G N I T A L Y

Technical sheet
BZ9837338

Vetro Colors
Dots Peacock Green Shine
BZ9837338

BREZZA
DESIGN ITALY



Vetro Colors Dots Peacock Green Shine

Dots Vetro mosaics from BREZZA Design Italy, with their circular pieces and attractive green peacock color, are on trend. They stand out for their pleasant design and bring elegance with a very novel touch to their designed spaces.



Extra thick Glass material (6mm)



Shine



Suitable for floor instalation



Suitable for wall instalation



Exterior



Interior





Low traffic



V1 shade variation

Vetro Colors
Dots Peacock Green Shine
BZ9837338

BREZZA
DESIGN ITALY



Texture

Dots Vetro by BREZZA Design Italy, are glass mosaic covered with a bright peacock green enamel. Thanks to its composition, the mosaic does not absorb water and therefore does not stain. In addition, it is resistant to temperature changes and situations that may affect its appearance. Its striking circular shape is pleasing to the eye.



SPECIFICATION	TEST METHODS	REQUIREMENTS IN ACCORDANCE TO THE STANDARDS	BREZZA AVERAGE VALUE
WATER ABSORPTION	ISO 10545-3	$\leq 0,5\%$	$\leq 0,2\%$
FLEXURAL RESISTANCE	ISO 10545-4	Min./MNH 35 N/mm ²	Min./MNH 40 N/mm ²
MODULUS OF RUPTURE	ISO 10545-4	THICKNESS $\geq 7,5\text{mm}$: min. 1300 N	THICKNESS $\geq 7,5\text{mm}$: min. 1300 N
DEEP ABRASION RESISTANCE	ISO 10545-6	$\leq 175 \text{ mm}^3$	$\leq 175 \text{ mm}^3$
RESISTANCE TO SURFACE ABRASION	ISO 10545-7	CLASSES 0-5	CLASSES 0-5
LINEAR EXPANSION THERMIC COEFFICIENT	ISO 10545-8	AVAILABLE ON REQUEST	INSIGNIFICANT
RESISTANCE TO SUDDEN TEMPERATURE CHANGES	ISO 10545-9	AVAILABLE ON REQUEST	YES
FROST RESISTANCE	ISO 10545-12	ALWAYS TESTED - EXIGEE	ALWAYS TESTED - EXIGEE
HOUSEHOLD CHEMICALS AND SWIMMING POOL WATER CLEANSERS	ISO 10545-13	UGL min. UB MNH. UB GL min. GB MNH. GB UGL FROM ULA, ULB TO ULC - DE ULB A ULC GL FROM GLA, GLB TO GLC - DE GLA, GLB A GLC	UGL min. UB MNH. UB GL min. GB MNH. GB UGL FROM ULA, ULB TO ULC- DE ULB A ULC GL FROM GLA, GLB TO GLC- DE GLA, GLB A GLC
ACIDS AND LOW CONCENTRATION ALKALIS	ISO 10545-13	UGL min. UB MNH. UB GL min. GB MNH. GB UGL FROM ULA, ULB TO ULC - DE ULB A ULC GL FROM GLA, GLB TO GLC - DE GLA, GLB A GLC	UGL min. UB MNH. UB GL min. GB MNH. GB UGL FROM ULA, ULB TO ULC - DE ULB A ULC GL FROM GLA, GLB TO GLC - DE GLA, GLB A GLC
ACIDS AND HIGH CONCENTRATION ALKALIS		AVAILABLE ON REQUEST	AVAILABLE ON REQUEST
STAIN RESISTANCE	ISO 10545-14	AVAILABLE ON REQUEST	STAIN RESISTANCE
COLOURS STABILITY TO LIGHT	DIN 51094	THEY DO NOT HAVE TO SHOW VISIBLE COLOUR ALTERATION	STABLE IN OUTDOOR AND INDOOR CONDITIONS

Vetro Colors
Dots Peacock Green Shine
BZ9837338

BREZZA
DESIGN ITALY

