BREZZA

DESIGN ITALY

Technical sheet
BZ9822101

Retro Bricks
Acqua
BZ9822101

BREZZA
DESIGN ITALY



Retro bricks Aqua

The RETRO BRICKS ACQUA, by BREZZA Design Italy, with their rectangular pieces and their interesting relief, stands out for their typical greenish color. Its resistance and durability is given by its composition, allowing it to be a perfectly installable mosaic in any space, be it walls, interior or exterior spaces.

PT Glazed finish

Shine

2 Height variation

Suitable for wall instalation

Exterior

Interior

Low traffic

V 1 V1 shade variation

www.brezzadesign.it

Retro Bricks
Acqua
BZ9822101

BREZZA
DESIGN ITALY





Texture

The RETRO BRICKS, by Brezza Design Italy are porcelain mosaics with a slightly glossy glaze on the upper part. Due to the composition of the mosaic, it has zero water absorption and high resistance to temperature variations, bumps, scratches and other situations that may affect its appearance. It is a durable and timeless mosaic with a smooth texture that is very elegant, subtle and pleasing to the eye.

Retro Bricks
Acqua
BZ9822101

BREZZA
DESIGN ITALY

SPECIFICATION	TEST METHODS	REQUIREMENTS IN ACCORDANCE TO THE STANDARDS	BREZZA AVERAGE VALUE
WATER ABSORPTION	ISO 10545-3	≤ 0,5%	≤ 0,2%
FLEXURAL RESISTANCE	ISO 10545-4	Min./MNH 35 N/mm^2	Min./MNH 40 N/mm2
MODULUS OF RUPTURE	ISO 10545-4	THICKNESS ≥ 7,5mm: min. 1300 N	THICKNESS ≥ 7,5mm: min. 1300 N
DEEP ABRASION RESISTANCE	ISO 10545-6	≤ 175 mm^3	≤ 175 mm3
RESISTANCE TO SURFACE ABRASION	ISO 10545-7	CLASSES 0-5	CLASSES 0-5
LINEAR EXPANSION THERMIC COEFFICIENT	ISO 10545-8	AVAILABLE ON REQUEST	INSIGNIFICANT
RESISTANCE TO SUDDEN TEMPERATURE CHANGES	ISO 10545-9	AVAILABLE ON REQUEST	YES
FROST RESISTANCE	ISO 10545-12	ALWAYS TESTED – EXIGEE	ALWAYS TESTED – EXIGEE
HOUSEHOLD CHEMICALKS AND SWIMMING POOL WATER CLEANSERS	ISO 10545-13	UGL min. UB MNH. UB GL min. GB MNH. GB UGL FROM ULA, ULB TO ULC - DE ULB A ULC GL FROM GLA, GLB TO GLC - DE GLA, GLB A GLC	UGL min. UB MNH. UB GL min. GB MNH. GB UGL FROM ULA, ULB TO ULC- DE ULB A ULC GL FROM GLA, GLB TO GLC- DE GLA, GLB A GLC
ACIDS AND LOW CONCENTRATION ALKALIS	ISO 10545-13	UGL min. UB MNH. UB GL min. GB MNH. GB UGL FROM ULA, ULB TO ULC - DE ULB A ULC GL FROM GLA, GLB TO GLC - DE GLA, GLB A GLC	UGL min. UB MNH. UB GL min. GB MNH. GB UGL FROM ULA, ULB TO ULC - DE ULB A ULC GL FROM GLA, GLB TO GLC - DE GLA, GLB A GLC
ACIDS AND HIGH CONCENTRATION ALKALIS		AVAILABLE ON REQUEST	AVAILABLE ON REQUEST
STAIN RESISTANCE	ISO 10545-14	AVAILABLE ON REQUEST	STAIN RESISTANCE
COLOURS STABILITY TO LIGHT	DIN 51094	THEY DO NOT HAVE TO SHOW VISIBLE COLOUR ALTERATION	STABLE IN OUTDOOR AND INDOOR CONDITIONS

Retro Bricks
Acqua
BZ9822101

BREZZA
DESIGN ITALY

www.brezzadesign.it