




BREZZA

D E S I G N I T A L Y

Technical sheet
BZ9871260

Esagono 3D
Grigio
BZ9871260

BREZZA
DESIGN ITALY



Esagono 3D Grigio

ESAGONO 3D, by BREZZA Design Italy, is a mosaic of hexagonal-shaped pieces with a small relief. Its color is Taupe and it has a matte enamel. It is an elegant and very interesting mosaic, ideal for walls and spaces that want to be highlighted. Daring is ideal when it comes to decorating spaces, and this mosaic will make a difference.



Glazed finish



Matt



Height variation



Suitable for wall installation



Exterior



Interior





Low traffic



V1 shade variation

Esagono 3D
Grigio
BZ9871260

BREZZA
DESIGN ITALY



Texture

The ESAGONOS 3D by Brezza Design Italy are porcelain mosaics with a glazed finish. Its texture is smooth and soft to the touch, visually it is very minimalist and its colors very subtle. It has a relief in the middle that makes this mosaic something unique. Its quality is extraordinary, resistant to any type of climate change, high traffic situations, and even to constant water or light conditions.



SPECIFICATION	TEST METHODS	REQUIREMENTS IN ACCORDANCE TO THE STANDARDS	BREZZA AVERAGE VALUE
WATER ABSORPTION	ISO 10545-3	$\leq 0,5\%$	$\leq 0,2\%$
FLEXURAL RESISTANCE	ISO 10545-4	Min./MNH 35 N/mm ²	Min./MNH 40 N/mm ²
MODULUS OF RUPTURE	ISO 10545-4	THICKNESS $\geq 7,5$ mm: min. 1300 N	THICKNESS $\geq 7,5$ mm: min. 1300 N
DEEP ABRASION RESISTANCE	ISO 10545-6	$\leq 175 \text{ mm}^3$	$\leq 175 \text{ mm}^3$
RESISTANCE TO SURFACE ABRASION	ISO 10545-7	CLASSES 0-5	CLASSES 0-5
LINEAR EXPANSION THERMIC COEFFICIENT	ISO 10545-8	AVAILABLE ON REQUEST	INSIGNIFICANT
RESISTANCE TO SUDDEN TEMPERATURE CHANGES	ISO 10545-9	AVAILABLE ON REQUEST	YES
FROST RESISTANCE	ISO 10545-12	ALWAYS TESTED - EXIGEE	ALWAYS TESTED - EXIGEE
HOUSEHOLD CHEMICALS AND SWIMMING POOL WATER CLEANSERS	ISO 10545-13	UGL min. UB MNH. UB GL min. GB MNH. GB UGL FROM ULA, ULB TO ULC - DE ULB A ULC GL FROM GLA, GLB TO GLC - DE GLA, GLB A GLC	UGL min. UB MNH. UB GL min. GB MNH. GB UGL FROM ULA, ULB TO ULC- DE ULB A ULC GL FROM GLA, GLB TO GLC- DE GLA, GLB A GLC
ACIDS AND LOW CONCENTRATION ALKALIS	ISO 10545-13	UGL min. UB MNH. UB GL min. GB MNH. GB UGL FROM ULA, ULB TO ULC - DE ULB A ULC GL FROM GLA, GLB TO GLC - DE GLA, GLB A GLC	UGL min. UB MNH. UB GL min. GB MNH. GB UGL FROM ULA, ULB TO ULC - DE ULB A ULC GL FROM GLA, GLB TO GLC - DE GLA, GLB A GLC
ACIDS AND HIGH CONCENTRATION ALKALIS		AVAILABLE ON REQUEST	AVAILABLE ON REQUEST
STAIN RESISTANCE	ISO 10545-14	AVAILABLE ON REQUEST	STAIN RESISTANCE
COLOURS STABILITY TO LIGHT	DIN 51094	THEY DO NOT HAVE TO SHOW VISIBLE COLOUR ALTERATION	STABLE IN OUTDOOR AND INDOOR CONDITIONS

Esagono 3D
Grigio
BZ9871260

BREZZA
DESIGN ITALY

