






Arrow Carrara

The Arrow Carrara from the Marble series by BREZZA Design Italy, stands out for its pieces with very subtle, blurred and random grain patterns. Carrara marble, quarried in the north of Tuscany, Italy, right in the city of Carrara, has been used since ancient times to make sculptures, decorative pieces and even wall tiles, today this pattern is trending, and Brezza offers you a high quality and resistant mosaic solution with the beauty of one of the most elegant, striking and timeless marbles.









Shape and texture

The Arrow Carrara of the Marble series from Brezza Design Italy, presents a pattern of interlocking herringbone, which pieces in generates a more dynamic and attractive touch in the spaces which these meshes have been installed. This mosaic has a porcelain tile base covered by a high definition print, with an undefined pattern that resembles the semipolished texture of Carrara marble. Its texture is uniform, smooth and matte, with random patterns.





SPECIFICATION	TEST METHODS	REQUIREMENTS IN ACCORDANCE TO THE STANDARDS		BREZZA AVERAGE VALUE		
WATER ABSORPTION	ISO 10545-3	≤ 0,5%		≤ 0,2%		
FLEXURAL RESISTANCE	ISO 10545-4	Min./MNH 35 N/mm ²		Min./MNH 40 N/mm2		
MODULUS OF RUPTURE	ISO 10545-4	THICKNESS ≥ 7,5mm: min. 1300 N		THICKNESS ≥ 7,5mm: min. 1300 N		
DEEP ABRASION RESISTANCE	ISO 10545-6	≤ 175 mm³		≤ 175 mm3		
RESISTANCE TO SURFACE ABRASION	ISO 10545-7	CLASSES 0-5		CLASSES 0-5		
LINEAR EXPANSION THERMIC COEFFICIENT	ISO 10545-8		AVAILABLE ON REQUEST		INSIGNIFICANT	
RESISTANCE TO SUDDEN TEMPERATURE CHANGES	ISO 10545-9		AVAILABLE ON REQUEST		YES	
FROST RESISTANCE	ISO 10545-12		ALWAYS TESTED - EXIGEE		ALWAYS TESTED - EXIGEE	
HOUSEHOLD CHEMICALKS AND SWIMMING POOL WATER CLEANSERS	ISO 10545-13	GL UGL GL	min. UB MNH. UB min. GB MNH. GB FROM ULA, ULB TO ULC - DE ULB A ULC FROM GLA, GLB TO GLC - DE GLA, GLB A GLC	UGL GL UGL	min. UB MNH. UB min. GB MNH. GB FROM ULA, ULB TO ULC- DE ULB A ULC FROM GLA, GLB TO GLC- DE GLA, GLB A GLC	
ACIDS AND LOW CONCENTRATION ALKALIS	ISO 10545-13	UGL GL UGL	min. UB MNH. UB min. GB MNH. GB FROM ULA, ULB TO ULC - DE ULB A ULC FROM GLA, GLB TO GLC - DE GLA, GLB A GLC	UGL GL UGL GL	min. UB MNH. UB min. GB MNH. GB FROM ULA, ULB TO ULC - DE ULB A ULC FROM GLA, GLB TO GLC - DE GLA, GLB A GLC	
ACIDS AND HIGH CONCENTRATION ALKALIS			AVAILABLE ON REQUEST		AVAILABLE ON REQUEST	
STAIN RESISTANCE	ISO 10545-14		AVAILABLE ON REQUEST		STAIN RESISTANCE	
COLOURS STABILITY TO LIGHT	DIN 51094	THEY	DO NOT HAVE TO SHOW VISIBLE COLOUR ALTERATION	STA	ABLE IN OUTDOOR AND INDOOR CONDITIONS	

