




BREZZA

D E S I G N I T A L Y

Technical sheet
BZ9837340

Vetro Colors
Tessuto Royal Blue Shine
BZ9837340

BREZZA
DESIGN ITALY



Vetro Colors Tessuto Royal Blue Shine

Tessuto Vetro mosaics from BREZZA Design Italy stand out for their beautiful blue color, inspired by this year's trend color, according to Pantone. Its striking flared shape and interlocking pattern makes this mosaic one of a kind and adds considerable aesthetic value to your designed space. It is a beautiful mosaic designed to shine by itself and stand out.



Extra thick Glass material (6mm)



Shine



Suitable for floor instalation



Suitable for wall instalation



Exterior



Interior






Low traffic



V1 shade variation

Vetro Colors
Tessuto Royal Blue Shine
BZ9837340

BREZZA
DESIGN ITALY



Texture

The Tessuto Vetro by BREZZA Design Italy, are glass mosaics covered with a shiny Royal Blue enamel. Its striking elongated shape and its small pieces form a unique and special mosaic, undoubtedly on trend. Due to its composition, the mosaic does not absorb water and therefore does not stain. It is resistant to temperature changes, and situations that can affect its appearance, however, if this mosaic is located on floors, it is recommended that it be in a low traffic space.



SPECIFICATION	TEST METHODS	REQUIREMENTS IN ACCORDANCE TO THE STANDARDS	BREZZA AVERAGE VALUE
WATER ABSORPTION	ISO 10545-3	$\leq 0,5\%$	$\leq 0,2\%$
FLEXURAL RESISTANCE	ISO 10545-4	Min./MNH 35 N/mm ²	Min./MNH 40 N/mm ²
MODULUS OF RUPTURE	ISO 10545-4	THICKNESS $\geq 7,5\text{mm}$: min. 1300 N	THICKNESS $\geq 7,5\text{mm}$: min. 1300 N
DEEP ABRASION RESISTANCE	ISO 10545-6	$\leq 175 \text{ mm}^3$	$\leq 175 \text{ mm}^3$
RESISTANCE TO SURFACE ABRASION	ISO 10545-7	CLASSES 0-5	CLASSES 0-5
LINEAR EXPANSION THERMIC COEFFICIENT	ISO 10545-8	AVAILABLE ON REQUEST	INSIGNIFICANT
RESISTANCE TO SUDDEN TEMPERATURE CHANGES	ISO 10545-9	AVAILABLE ON REQUEST	YES
FROST RESISTANCE	ISO 10545-12	ALWAYS TESTED - EXIGEE	ALWAYS TESTED - EXIGEE
HOUSEHOLD CHEMICALS AND SWIMMING POOL WATER CLEANSERS	ISO 10545-13	UGL min. UB MNH. UB GL min. GB MNH. GB UGL FROM ULA, ULB TO ULC - DE ULB A ULC GL FROM GLA, GLB TO GLC - DE GLA, GLB A GLC	UGL min. UB MNH. UB GL min. GB MNH. GB UGL FROM ULA, ULB TO ULC- DE ULB A ULC GL FROM GLA, GLB TO GLC- DE GLA, GLB A GLC
ACIDS AND LOW CONCENTRATION ALKALIS	ISO 10545-13	UGL min. UB MNH. UB GL min. GB MNH. GB UGL FROM ULA, ULB TO ULC - DE ULB A ULC GL FROM GLA, GLB TO GLC - DE GLA, GLB A GLC	UGL min. UB MNH. UB GL min. GB MNH. GB UGL FROM ULA, ULB TO ULC - DE ULB A ULC GL FROM GLA, GLB TO GLC - DE GLA, GLB A GLC
ACIDS AND HIGH CONCENTRATION ALKALIS		AVAILABLE ON REQUEST	AVAILABLE ON REQUEST
STAIN RESISTANCE	ISO 10545-14	AVAILABLE ON REQUEST	STAIN RESISTANCE
COLOURS STABILITY TO LIGHT	DIN 51094	THEY DO NOT HAVE TO SHOW VISIBLE COLOUR ALTERATION	STABLE IN OUTDOOR AND INDOOR CONDITIONS

Vetro Colors
Tessuto Royal Blue Shine
BZ9837340

BREZZA
DESIGN ITALY

