




BREZZA

D E S I G N I T A L Y

Technical sheet
BZ9872230

Tuttospessore
Square Light Grey
BZ9872230

BREZZA
DESIGN ITALY



Square Light Grey

The square as a geometric shape, with its four perfect sides, represents stability, perfection and solidity. This mosaic made up of squares is part of the most classic and timeless mosaics that exist. They are interesting elements that stand out for their beauty, resistance and neutral colors, which combine perfectly with any other material and color.



Natural



Matt



Suitable for floor instalation



Suitable for wall instalation



Exterior



Interior





High traffic



V1 shade variation

Tuttospessore
Square Light Grey
BZ9872230

BREZZA
DESIGN ITALY



Texture

As it is a porcelain material, in its purest composition, it has a very organic texture that is pleasant to the touch and very subtle to the eye. The SQUARE TUTTOSPESSORE mosaic by BREZZA Design Italy has an ideal matte finish for your spaces.




Tuttosessore
Square Light Grey
BZ9872230


BREZZA
DESIGN ITALY



Light Grey is an achromatic color, located on the grayscale more towards white than towards black. It is a very neutral color, which represents elegance and neutrality in spaces. Inside the interior it is associated with calm and neutrality and is generally used to attenuate very vibrant colors placed around it, generating a perfect balance in the spaces.



www.brezzadesign.it



SPECIFICATION	TEST METHODS	REQUIREMENTS IN ACCORDANCE TO THE STANDARDS	BREZZA AVERAGE VALUE
WATER ABSORPTION	ISO 10545-3	$\leq 0,5\%$	$\leq 0,2\%$
FLEXURAL RESISTANCE	ISO 10545-4	Min./MNH 35 N/mm ²	Min./MNH 40 N/mm ²
MODULUS OF RUPTURE	ISO 10545-4	THICKNESS $\geq 7,5$ mm: min. 1300 N	THICKNESS $\geq 7,5$ mm: min. 1300 N
DEEP ABRASION RESISTANCE	ISO 10545-6	$\leq 175 \text{ mm}^3$	$\leq 175 \text{ mm}^3$
RESISTANCE TO SURFACE ABRASION	ISO 10545-7	CLASSES 0-5	CLASSES 0-5
LINEAR EXPANSION THERMIC COEFFICIENT	ISO 10545-8	AVAILABLE ON REQUEST	INSIGNIFICANT
RESISTANCE TO SUDDEN TEMPERATURE CHANGES	ISO 10545-9	AVAILABLE ON REQUEST	YES
FROST RESISTANCE	ISO 10545-12	ALWAYS TESTED - EXIGEE	ALWAYS TESTED - EXIGEE
HOUSEHOLD CHEMICALS AND SWIMMING POOL WATER CLEANSERS	ISO 10545-13	UGL min. UB MNH. UB GL min. GB MNH. GB UGL FROM ULA, ULB TO ULC - DE ULB A ULC GL FROM GLA, GLB TO GLC - DE GLA, GLB A GLC	UGL min. UB MNH. UB GL min. GB MNH. GB UGL FROM ULA, ULB TO ULC- DE ULB A ULC GL FROM GLA, GLB TO GLC- DE GLA, GLB A GLC
ACIDS AND LOW CONCENTRATION ALKALIS	ISO 10545-13	UGL min. UB MNH. UB GL min. GB MNH. GB UGL FROM ULA, ULB TO ULC - DE ULB A ULC GL FROM GLA, GLB TO GLC - DE GLA, GLB A GLC	UGL min. UB MNH. UB GL min. GB MNH. GB UGL FROM ULA, ULB TO ULC - DE ULB A ULC GL FROM GLA, GLB TO GLC - DE GLA, GLB A GLC
ACIDS AND HIGH CONCENTRATION ALKALIS		AVAILABLE ON REQUEST	AVAILABLE ON REQUEST
STAIN RESISTANCE	ISO 10545-14	AVAILABLE ON REQUEST	STAIN RESISTANCE
COLOURS STABILITY TO LIGHT	DIN 51094	THEY DO NOT HAVE TO SHOW VISIBLE COLOUR ALTERATION	STABLE IN OUTDOOR AND INDOOR CONDITIONS

Tuttospessore
Square Light Grey
BZ9872230

BREZZA
DESIGN ITALY



www.brezzadesign.it