



# BREZZA

D E S I G N I T A L Y

Technical sheet  
BZ9822102



Retro Bricks  
Grigio  
BZ9822102

**BREZZA**  
DESIGN ITALY



## Retro bricks Grigio

The RETRO BRICKS GRIGIO, by BREZZA Design Italy, with their rectangular pieces and their interesting relief, is a very neutral greyish color, ideal to combine with countless colors. It is a very elegant and attractive mosaic, without a doubt a unique mosaic that must be part of a novel design. Its resistance and durability is given by its composition, allowing it to be a perfectly installable mosaic in any space, be it walls, interior or exterior spaces.



Glazed finish



Shine



Height variation



Suitable for wall installation



Exterior



Interior




Low traffic



V1 shade variation

Retro Bricks  
Grigio  
BZ9822102

**BREZZA**  
DESIGN ITALY



## Texture

The RETRO BRICKS, by Brezza Design Italy are porcelain mosaics with a slightly glossy glaze on the upper part. Due to the composition of the mosaic, it has zero water absorption and high resistance to temperature variations, bumps, scratches and other situations that may affect its appearance. It is a durable and timeless mosaic with a smooth texture that is very elegant, subtle and pleasing to the eye.



SPECIFICATION	TEST METHODS	REQUIREMENTS IN ACCORDANCE TO THE STANDARDS	BREZZA AVERAGE VALUE
WATER ABSORPTION	ISO 10545-3	$\leq 0,5\%$	$\leq 0,2\%$
FLEXURAL RESISTANCE	ISO 10545-4	Min./MNH 35 N/mm <sup>2</sup>	Min./MNH 40 N/mm <sup>2</sup>
MODULUS OF RUPTURE	ISO 10545-4	THICKNESS $\geq 7,5$ mm: min. 1300 N	THICKNESS $\geq 7,5$ mm: min. 1300 N
DEEP ABRASION RESISTANCE	ISO 10545-6	$\leq 175 \text{ mm}^3$	$\leq 175 \text{ mm}^3$
RESISTANCE TO SURFACE ABRASION	ISO 10545-7	CLASSES 0-5	CLASSES 0-5
LINEAR EXPANSION THERMIC COEFFICIENT	ISO 10545-8	AVAILABLE ON REQUEST	INSIGNIFICANT
RESISTANCE TO SUDDEN TEMPERATURE CHANGES	ISO 10545-9	AVAILABLE ON REQUEST	YES
FROST RESISTANCE	ISO 10545-12	ALWAYS TESTED - EXIGEE	ALWAYS TESTED - EXIGEE
HOUSEHOLD CHEMICALS AND SWIMMING POOL WATER CLEANSERS	ISO 10545-13	UGL min. UB MNH. UB GL min. GB MNH. GB UGL FROM ULA, ULB TO ULC - DE ULB A ULC GL FROM GLA, GLB TO GLC - DE GLA, GLB A GLC	UGL min. UB MNH. UB GL min. GB MNH. GB UGL FROM ULA, ULB TO ULC- DE ULB A ULC GL FROM GLA, GLB TO GLC- DE GLA, GLB A GLC
ACIDS AND LOW CONCENTRATION ALKALIS	ISO 10545-13	UGL min. UB MNH. UB GL min. GB MNH. GB UGL FROM ULA, ULB TO ULC - DE ULB A ULC GL FROM GLA, GLB TO GLC - DE GLA, GLB A GLC	UGL min. UB MNH. UB GL min. GB MNH. GB UGL FROM ULA, ULB TO ULC - DE ULB A ULC GL FROM GLA, GLB TO GLC - DE GLA, GLB A GLC
ACIDS AND HIGH CONCENTRATION ALKALIS		AVAILABLE ON REQUEST	AVAILABLE ON REQUEST
STAIN RESISTANCE	ISO 10545-14	AVAILABLE ON REQUEST	STAIN RESISTANCE
COLOURS STABILITY TO LIGHT	DIN 51094	THEY DO NOT HAVE TO SHOW VISIBLE COLOUR ALTERATION	STABLE IN OUTDOOR AND INDOOR CONDITIONS



Retro Bricks  
Grigio  
BZ9822102

**BREZZA**  
DESIGN ITALY



[www.brezzadesign.it](http://www.brezzadesign.it)