BREZZA

DESIGN ITALY

Technical sheet
BZ9829191

Bricks
Matt White
BZ9829191

BREZZA
DESIGN ITALY



Bricks Matt white

The BRICK SMALTO MATT WHITE, by BREZZA Design Italy, is a mosaic of pieces with a very uniform rectangular format, and a slightly pearly white color. It is very elegant and versatile when combining with other finishes.

PT Glazed finish

Matt

Suitable for floor instalation

Suitable for wall instalation

Exterior

Interior

High traffic

V1 shade variation

Bricks
Matt White
BZ9829191

BREZZA
DESIGN ITALY





Texture

The BRICKS by Brezza Design Italy are porcelain mosaics with a low-reflective glazed finish. Its texture is smooth and soft to the touch, visually it is very minimalist and its colors very subtle. Their quality is the best and due to their composition they are mosaics that withstand all kinds of weather conditions, high traffic and do not break.

Bricks
Matt White
BZ9829191

BREZZA
DESIGN ITALY

SPECIFICATION	TEST METHODS	REQUIREMENTS IN ACCORDANCE TO THE STANDARDS	BREZZA AVERAGE VALUE
WATER ABSORPTION	ISO 10545-3	≤ 0,5%	≤ 0,2%
FLEXURAL RESISTANCE	ISO 10545-4	Min./MNH 35 N/mm^2	Min./MNH 40 N/mm2
MODULUS OF RUPTURE	ISO 10545-4	THICKNESS ≥ 7,5mm: min. 1300 N	THICKNESS ≥ 7,5mm: min. 1300 N
DEEP ABRASION RESISTANCE	ISO 10545-6	≤ 175 mm^3	≤ 175 mm3
RESISTANCE TO SURFACE ABRASION	ISO 10545-7	CLASSES 0-5	CLASSES 0-5
LINEAR EXPANSION THERMIC COEFFICIENT	ISO 10545-8	AVAILABLE ON REQUEST	INSIGNIFICANT
RESISTANCE TO SUDDEN TEMPERATURE CHANGES	ISO 10545-9	AVAILABLE ON REQUEST	YES
FROST RESISTANCE	ISO 10545-12	ALWAYS TESTED – EXIGEE	ALWAYS TESTED – EXIGEE
HOUSEHOLD CHEMICALKS AND SWIMMING POOL WATER CLEANSERS	ISO 10545-13	UGL min. UB MNH. UB GL min. GB MNH. GB UGL FROM ULA, ULB TO ULC - DE ULB A ULC GL FROM GLA, GLB TO GLC - DE GLA, GLB A GLC	UGL min. UB MNH. UB GL min. GB MNH. GB UGL FROM ULA, ULB TO ULC- DE ULB A ULC GL FROM GLA, GLB TO GLC- DE GLA, GLB A GLC
ACIDS AND LOW CONCENTRATION ALKALIS	ISO 10545-13	UGL min. UB MNH. UB GL min. GB MNH. GB UGL FROM ULA, ULB TO ULC - DE ULB A ULC GL FROM GLA, GLB TO GLC - DE GLA, GLB A GLC	UGL min. UB MNH. UB GL min. GB MNH. GB UGL FROM ULA, ULB TO ULC - DE ULB A ULC GL FROM GLA, GLB TO GLC - DE GLA, GLB A GLC
ACIDS AND HIGH CONCENTRATION ALKALIS		AVAILABLE ON REQUEST	AVAILABLE ON REQUEST
STAIN RESISTANCE	ISO 10545-14	AVAILABLE ON REQUEST	STAIN RESISTANCE
COLOURS STABILITY TO LIGHT	DIN 51094	THEY DO NOT HAVE TO SHOW VISIBLE COLOUR ALTERATION	STABLE IN OUTDOOR AND INDOOR CONDITIONS

Bricks
Matt White
BZ9829191

BREZZA
DESIGN ITALY

www.brezzadesign.it