





Esagono 3D White shine

ESAGONO 3D, by BREZZA Design Italy, is a mosaic of hexagonal-shaped pieces with a small relief. Its color is enameled white. It is an elegant and very interesting mosaic, ideal for walls and spaces that want to be highlighted. Daring is ideal when it comes to decorating spaces, and this mosaic will make a difference.



Glazed finish



Shine



Height variation



Suitable for wall instalation



Exterior



Interior





Low traffic




V1 shade variation









Texture

The ESAGONOS 3D by Brezza Design Italy are porcelain mosaics with a glazed finish. Its texture is smooth and soft to the touch, visually it is very minimalist and its colors very subtle. It has a relief in the middle that makes this mosaic something unique. Its quality is extraordinary, resistant to any type of climate change, high traffic situations, and even to constant water or light conditions.





SPECIFICATION	TEST METHODS	REQUIREMENTS IN ACCORDANCE TO THE STANDARDS		BREZZA AVERAGE VALUE		
WATER ABSORPTION	ISO 10545-3	≤ 0,5%		≤ 0,2%		
FLEXURAL RESISTANCE	ISO 10545-4	Min./MNH 35 N/mm ²		Min./MNH 40 N/mm2		
MODULUS OF RUPTURE	ISO 10545-4	THICKNESS ≥ 7,5mm: min. 1300 N		THICKNESS ≥ 7,5mm: min. 1300 N		
DEEP ABRASION RESISTANCE	ISO 10545-6	≤ 175 mm³		≤ 175 mm3		
RESISTANCE TO SURFACE ABRASION	ISO 10545-7	CLASSES 0-5		CLASSES 0-5		
LINEAR EXPANSION THERMIC COEFFICIENT	ISO 10545-8		AVAILABLE ON REQUEST		INSIGNIFICANT	
RESISTANCE TO SUDDEN TEMPERATURE CHANGES	ISO 10545-9		AVAILABLE ON REQUEST		YES	
FROST RESISTANCE	ISO 10545-12		ALWAYS TESTED - EXIGEE		ALWAYS TESTED - EXIGEE	
HOUSEHOLD CHEMICALKS AND SWIMMING POOL WATER CLEANSERS	ISO 10545-13	GL UGL GL	min. UB MNH. UB min. GB MNH. GB FROM ULA, ULB TO ULC - DE ULB A ULC FROM GLA, GLB TO GLC - DE GLA, GLB A GLC	UGL GL UGL	min. UB MNH. UB min. GB MNH. GB FROM ULA, ULB TO ULC- DE ULB A ULC FROM GLA, GLB TO GLC- DE GLA, GLB A GLC	
ACIDS AND LOW CONCENTRATION ALKALIS	ISO 10545-13	UGL GL UGL	min. UB MNH. UB min. GB MNH. GB FROM ULA, ULB TO ULC - DE ULB A ULC FROM GLA, GLB TO GLC - DE GLA, GLB A GLC	UGL GL UGL GL	min. UB MNH. UB min. GB MNH. GB FROM ULA, ULB TO ULC - DE ULB A ULC FROM GLA, GLB TO GLC - DE GLA, GLB A GLC	
ACIDS AND HIGH CONCENTRATION ALKALIS			AVAILABLE ON REQUEST		AVAILABLE ON REQUEST	
STAIN RESISTANCE	ISO 10545-14		AVAILABLE ON REQUEST		STAIN RESISTANCE	
COLOURS STABILITY TO LIGHT	DIN 51094	THEY	DO NOT HAVE TO SHOW VISIBLE COLOUR ALTERATION	STA	ABLE IN OUTDOOR AND INDOOR CONDITIONS	

